

* 产品型号	PR210K
* CPU类型	Kunpeng 920 2-Socket Embedded
* CPU型号	Kunpeng 920 5250
* 部件类型	All
OS类型	无配置
OS版本	无配置

DIMMs						
编码	容量	描述	打包编码	生命周期	类型	备注
06200289	128GB	Memory Module,DDR4 RDIMM,128GB,288pin,0.68ns,293300KHz,1.2V,ECC,4 Rank(4G*4bit),3D S		GA	DDR	
06200265	16GB	Memory Module,DDR4 RDIMM,16GB,288pin,0.75ns,266600KHz,1.2V,ECC,2Rank(1G*8bit)		EOM	DDR	
06200286	16GB	Memory Module,DDR4 RDIMM,16GB,288pin,0.68ns,293300KHz,1.2V,ECC,2Rank(1G*8bit),Server product dedicated		GA	DDR	
06200304	16GB	Memory Module,DDR4 RDIMM,16GB,288pin,0.68ns,293300KHz,1.2V,ECC,1Rank(2G*4bit),IDM part number		GA	DDR	
06200320	16GB	Memory Module,DDR4 RDIMM,16GB,288pin,0.625ns,320000KHz,1.2V,ECC,2 Rank(1G*8bit),SDP		GA	DDR	
06200333	16GB	Memory Module,DDR4 RDIMM,16GB,288pin,0.75ns,266600KHz,1.2V,ECC,2Rank(1G*8bit)		EOM	DDR	Note30;
06200339	16GB	Memory Module,DDR4 RDIMM,16GB,288pin,0.68ns,293300KHz,1.2V,ECC,2Rank(1G*8bit)		EOP	DDR	Note30;
06200342	16GB	Memory Module,DDR4 RDIMM,16GB,288pin,0.68ns,293300KHz,1.2V,ECC,1Rank(2G*4bit)		GA	DDR	Note30;
06200266	32GB	Memory Module,DDR4 RDIMM,32GB,288pin,7.5ns,2666000KHz,1.2V,ECC,2Rank(2G*4bit)		EOM	DDR	
06200303	32GB	Memory Module,DDR4 RDIMM,32GB,288pin,0.68ns,293300KHz,1.2V,ECC,2Rank(2G*4bit),IDM Part numbers		GA	DDR	

06200309	32GB	Memory Module,DDR4 RDIMM,32GB,288 pin,0.625ns,32000KHz,1.2V,ECC,2Rank(2G*4bit)		GA	DDR	
06200317	32GB	Memory Module,DDR4 RDIMM,32GB,288 pin,0.68ns,2933000KHz,1.2V,ECC,2Rank(2G*8bit)		GA	DDR	
06200321	32GB	Memory Module,DDR4 RDIMM,32GB,288 pin,0.625ns,32000KHz,1.2V,ECC,2Rank(2G*8bit),SDP		GA	DDR	
06200326	32GB	Memory Module,DDR4 RDIMM,32GB,288 pin,0.75ns,2666000KHz,1.2V,ECC,2Rank(2G*4bit),IT product dedicated		GA	DDR	
06200330	32GB	Memory Module,DDR4 RDIMM,32GB,288 pin,0.68ns,2933000KHz,1.2V,ECC,2Rank(2G*8bit)		GA	DDR	
06200334	32GB	Memory Module,DDR4 RDIMM,32GB,288 pin,0.75ns,2666000KHz,1.2V,ECC,2Rank(2G*4bit)		EOM	DDR	Note30;
06200340	32GB	Memory Module,DDR4 RDIMM,32GB,288 pin,0.68ns,2933000KHz,1.2V,ECC,2Rank(2G*4bit),Server product dedicated		EOP	DDR	Note30;
06200282	64GB	Memory Module,DDR4 RDIMM,64GB,288 pin,0.68ns,2933000KHz,1.2V,ECC,2Rank(4G*4bit),SDP		GA	DDR	
06200323	64GB	Memory Module,DDR4 RDIMM,64GB,288 pin,0.625ns,320000KHz,1.2V,ECC,2Rank(4G*4bit),SDP		GA	DDR	
06200329	64GB	Memory Module,DDR4 RDIMM,64GB,288 pin,0.68ns,2933000KHz,1.2V,ECC,2Rank(4G*4bit),SDP		GA	DDR	
06200307	8GB	Memory Module,DDR4 RDIMM,8GB,288pin,0.68ns,2933000KHz,1.2V,ECC,1Rank(1G*8bit)		GA	DDR	
06200350	8GB	Memory Module,DDR4 RDIMM,8GB,288pin,0.68ns,2933000KHz,1.2V,ECC,1Rank(1G*8bit)		GA	DDR	Note30;
备注说明: 30. 海外专用						

DISKs				
编码	容量	描述	生命周期	备注

02312GUA	240GB	Function Module,Servers,SSD,240G B,SATA 6Gb/s,Mixed Use,SM883 Series,2.5inch(2.5inch Drive Bay),IT Server Dedicated	GA	Note2;
02312GTV	240GB	Function Module,Servers,SSD,240G B,SATA 6Gb/s,Mixed Use,SM883 Series,2.5inch(3.5inch Drive Bay),IT Server Dedicated	GA	Note2;
02313DHR	240GB	Function Module,Servers,SSD,240G B,SATA 6Gb/s,Read Intensive,ER2-CD Series,2.5inch(2.5inch Drive Bay),IT Server Dedicated	Pilot	Note1;
02313DHS	240GB	Function Module,Servers,SSD,240G B,SATA 6Gb/s,Read Intensive,ER2-CD Series,2.5inch(3.5inch Drive Bay),IT Server Dedicated	Pilot	Note1;
02312GNP	240GB	Function Module,Servers,SSD,240G B,SATA 6Gb/s,Read Intensive,PM883 Series,2.5inch(2.5inch Drive Bay),IT Server Dedicated	GA	Note1;
02312GNQ	240GB	Function Module,Servers,SSD,240G B,SATA 6Gb/s,Read Intensive,PM883 Series,2.5inch(3.5inch Drive Bay),IT Server Dedicated	GA	Note1;
02313EYY	240GB	Function Module,Servers,SSD,240G B,SATA 6Gb/s,Read Intensive,micron 5300 PRO Series,2.5inch(2.5inch Drive Bay),IT Server Dedicated	Pilot	Note1;
02313FAB	240GB	Function Module,Servers,SSD,240G B,SATA 6Gb/s,Read Intensive,micron 5300 PRO Series,2.5inch(3.5inch Drive Bay),IT Server Dedicated	Pilot	Note1;
02312GUC	480GB	Function Module,Servers,SSD,480G B,SATA 6Gb/s,Mixed Use,SM883 Series,2.5inch(2.5inch Drive Bay),IT Server Dedicated	GA	Note2;
02312GTW	480GB	Function Module,Servers,SSD,480G B,SATA 6Gb/s,Mixed Use,SM883 Series,2.5inch(3.5inch Drive Bay),IT Server Dedicated	GA	Note2;
02313EYV	480GB	Function Module,Servers,SSD,480G B,SATA 6Gb/s,Read Intensive,5300 PRO Series,2.5inch(2.5inch Drive Bay),IT Server Dedicated	GA	Note1;
02312XAK	480GB	Function Module,Servers,SSD,480G B,SATA 6Gb/s,Read Intensive,ER2-CD Series,2.5inch(2.5inch Drive Bay),IT Server Dedicated	Pilot	Note1;

02312XAL	480GB	Function Module,Servers,SSD,480GB,SATA 6Gb/s,Read Intensive,ER2-CD Series,2.5inch(3.5inch Drive Bay),IT Server Dedicated	Pilot	Note1;
02312GNR	480GB	Function Module,Servers,SSD,480GB,SATA 6Gb/s,Read Intensive,PM883 Series,2.5inch(2.5inch Drive Bay),IT Server Dedicated	EOM	Note1;
02312GNS	480GB	Function Module,Servers,SSD,480GB,SATA 6Gb/s,Read Intensive,PM883 Series,2.5inch(3.5inch Drive Bay),IT Server Dedicated	EOM	Note1;
02313EYX	480GB	Function Module,Servers,SSD,480GB,SATA 6Gb/s,Read Intensive,micron 5300 PRO Series,2.5inch(3.5inch Drive Bay),IT Server Dedicated	GA	Note1;
02550173	480GB	SSD Module,Servers,SSD,480GB,SATA 6Gb/s,Mixed Use,5300 MAX Series,2.5inch(2.5inch Drive Bay)	Pilot	Note2;
02550199	480GB	SSD Module,Servers,SSD,480GB,SATA 6Gb/s,Mixed Use,5300 MAX Series,2.5inch(3.5inch Drive Bay)	Pilot	Note2;
02312RBY	600GB	Function Module,Server Product,Hard Disk,600GB,SAS 12Gb/s,10000rpm,2.5inch, 128MB or above,Hot_plug,Built-in,3.5 inch Front Panel	GA	
02313AWN	600GB	Function Module,Server Product,Hard Disk,600GB,SAS 12Gb/s,10000rpm,2.5inch, 128MB or above,Hot_plug,Built-in,3.5 inch Front Panel,DYHC10	GA	Note19;
02311HAT	600GB	Function Module,Server Product,Hard Disk,600GB,SAS 12Gb/s,10000rpm,2.5inch, 128MB or above,Hot_plug,Built-in,3.5 inch Front Panel,For spare parts stocking only. Specify the brand (Seagate or HGST) when placing an order	EOP	
02312RBW	600GB	Function Module,Server,Hard Disk,600GB,SAS 12Gb/s,10000rpm,2.5inch, 128MB or above,Hot_plug,Built-in,2.5 inch Front Panel	GA	
02313AWM	600GB	Function Module,Server,Hard Disk,600GB,SAS 12Gb/s,10000rpm,2.5inch, 128MB or above,Hot_plug,Built-in,2.5 inch Front Panel,DYHC10	GA	Note19;

02311HAP	600GB	Function Module,Server,Hard Disk,600GB,SAS 12Gb/s,10000rpm,2.5inch, 128MB or above,Hot plug,Built- in,2.5 inch Front Panel,For spare parts stocking only. Specify the brand (Seagate or HGST) when placing an order	EOP	
02312QVR	800GB	Function Module,Servers,ES3610S V5,HW SSD,Disk Unit,800GB SAS 12Gb/s,Mixed Use,2.5inch(2.5inch Drive Bay)	EOM	Note2;Note24;
02312YQC	800GB	Function Module,Servers,ES3610S V5,HW SSD,Disk Unit,800GB SAS 12Gb/s,Mixed Use,2.5inch(2.5inch Drive Bay)	EOM	Note2;Note24;
02312QVS	800GB	Function Module,Servers,ES3610S V5,HW SSD,Disk Unit,800GB SAS 12Gb/s,Mixed Use,2.5inch(3.5inch Drive Bay)	EOM	Note2;Note24;
02312YQD	800GB	Function Module,Servers,ES3610S V5,HW SSD,Disk Unit,800GB SAS 12Gb/s,Mixed Use,2.5inch(3.5inch Drive Bay)	EOM	Note2;Note24;
02312QRQ	960GB	Function Module,Servers,ES3510S V5,HW SSD,Disk Unit,960GB SAS 12Gb/s,Read Intensive,2.5inch(2.5inch Drive Bay)	EOM	Note1;Note24;
02312YQA	960GB	Function Module,Servers,ES3510S V5,HW SSD,Disk Unit,960GB SAS 12Gb/s,Read Intensive,2.5inch(2.5inch Drive Bay)	EOM	Note1;Note24;
02312QRR	960GB	Function Module,Servers,ES3510S V5,HW SSD,Disk Unit,960GB SAS 12Gb/s,Read Intensive,2.5inch(3.5inch Drive Bay)	EOM	Note1;Note24;
02312YQB	960GB	Function Module,Servers,ES3510S V5,HW SSD,Disk Unit,960GB SAS 12Gb/s,Read Intensive,2.5inch(3.5inch Drive Bay)	EOM	Note1;Note24;
02313ELL	960GB	Function Module,Servers,SSD,960G B,SAS 12Gb/s,Read Intensive,PM1643a Series,2.5inch(2.5inch Drive Bay)	GA	Note1;Note24;Note27;
02313ELP	960GB	Function Module,Servers,SSD,960G B,SAS 12Gb/s,Read Intensive,PM1643a Series,2.5inch(3.5inch Drive Bay)	Pilot	Note1;Note24;Note27;
02312GUE	960GB	Function Module,Servers,SSD,960G B,SATA 6Gb/s,Mixed Use,SM883 Series,2.5inch(2.5inch Drive Bay),IT Server Dedicated	GA	Note2;

02312GTX	960GB	Function Module,Servers,SSD,960GB,SATA 6Gb/s,Mixed Use,SM883 Series,2.5inch(3.5inch Drive Bay),IT Server Dedicated	GA	Note2;
02312XAM	960GB	Function Module,Servers,SSD,960GB,SATA 6Gb/s,Read Intensive,ER2-CD Series,2.5inch(2.5inch Drive Bay),IT Server Dedicated	Pilot	Note1;
02312XAN	960GB	Function Module,Servers,SSD,960GB,SATA 6Gb/s,Read Intensive,ER2-CD Series,2.5inch(3.5inch Drive Bay),IT Server Dedicated	Pilot	Note1;
02312GNT	960GB	Function Module,Servers,SSD,960GB,SATA 6Gb/s,Read Intensive,PM883 Series,2.5inch(2.5inch Drive Bay),IT Server Dedicated	GA	Note1;
02312GNU	960GB	Function Module,Servers,SSD,960GB,SATA 6Gb/s,Read Intensive,PM883 Series,2.5inch(3.5inch Drive Bay),IT Server Dedicated	GA	Note1;
02313FAC	960GB	Function Module,Servers,SSD,960GB,SATA 6Gb/s,Read Intensive,micron 5300 PRO Series,2.5inch(2.5inch Drive Bay),IT Server Dedicated	GA	Note1;
02313FAD	960GB	Function Module,Servers,SSD,960GB,SATA 6Gb/s,Read Intensive,micron 5300 PRO Series,2.5inch(3.5inch Drive Bay),IT Server Dedicated	GA	Note1;
02550206	960GB	SSD Module,Servers,SSD,960GB,SATA 6Gb/s,Mixed Use,5300 MAX Series,2.5inch(2.5inch Drive Bay)	Pilot	Note2;
02550207	960GB	SSD Module,Servers,SSD,960GB,SATA 6Gb/s,Mixed Use,5300 MAX Series,2.5inch(3.5inch Drive Bay)	Pilot	Note2;
02312RCC	1200GB	Function Module,Server Product,Hard Disk,1200GB,SAS 12Gb/s,10000rpm,2.5inch, 128MB or above,Hot_plug,Built-in,Application for Server Only,3.5 inch Front Panel	GA	
02313AWJ	1200GB	Function Module,Server Product,Hard Disk,1200GB,SAS 12Gb/s,10000rpm,2.5inch, 128MB or above,Hot_plug,Built-in,Application for Server Only,3.5 inch Front Panel,DYHC10	GA	Note19;
02312RBV	1200GB	Function Module,Server,Hard Disk,1200GB,SAS 12Gb/s,10000rpm,2.5inch, 128MB or above,Hot_plug,Built-in,2.5 inch Front Panel	GA	

02313AWH	1200GB	Function Module,Server,Hard Disk,1200GB,SAS 12Gb/s,10000rpm,2.5inch, 128MB or above,Hot_plug,Built- in,2.5 inch Front Panel,DYHC10	GA	Note19;
02311HAN	1200GB	Function Module,Server,Hard Disk,1200GB,SAS 12Gb/s,10000rpm,2.5inch, 128MB or above,Hot_plug,Built- in,2.5 inch Front Panel,For spare parts stocking only. Specify the brand (Seagate or HGST) when placing an order	EOP	
02312RNG	1200GB	Function Module,Server,Hard Disk,1200GB,SAS 12Gb/s,10000rpm,2.5inch, 128MB or above,Hot_plug,Built- in,2.5 inch Front Panel- Dedicated for purchased plug-in RAID controller cards	GA	
02311NHV	1200GB	Function Module,Server,Hard Disk,1200GB,SAS 12Gb/s,10000rpm,2.5inch, 128MB or above,Hot_plug,Built- in,Application for Server Only,3.5 inch Front Panel,For spare parts stocking only. Specify the brand (Seagate or HGST) when placing an order	EOP	
02312RNK	1200GB	Function Module,Server,Hard Disk,1200GB,SAS 12Gb/s,10000rpm,2.5inch, 128MB or above,Hot_plug,Built- in,Application for Server Only,3.5 inch Front Panel- Dedicated for purchased plug-in RAID controller cards	GA	
02312TBF	1600GB	Function Module,Servers,ES3610S1 600GW2,ES3610S V5,HW SSD,Disk Unit,1600GB SAS 12Gb/s,Mixed Use,2.5inch(2.5inch Drive Bay)	EOM	Note2;Note24;
02312TBG	1600GB	Function Module,Servers,ES3610S1 600GW3,ES3610S V5,HW SSD,Disk Unit,1600GB SAS 12Gb/s,Mixed Use,2.5inch(3.5inch Drive Bay)	EOM	Note2;Note24;
02311FMR	1800GB	Function Module,Server Product,Hard Disk,1800GB,SAS 12Gb/s,10000rpm,2.5inch, 128MB,Hot-swap,Built- in,2.5inch Front Panel,For spare parts stocking only. Specify the brand (Seagate or HGST) when placing an order	EOP	
02312RCA	1800GB	Function Module,Server,HDD,1800 GB,SAS 12Gb/s,10K rpm,128MB,2.5inch(3.5inc h Drive Bay)	GA	
02313AWG	1800GB	Function Module,Server,HDD,1800 GB,SAS 12Gb/s,10K rpm,128MB,2.5inch(3.5inc h Drive Bay),DYHC10	GA	Note19;

02311KSV	1800GB	Function Module,Server,HDD,1800 GB,SAS 12Gb/s,10K rpm,128MB,2.5inch(3.5inch Drive Bay),For spare parts stocking only. Specify the brand (Seagate or HGST) when placing an order	EOP	
02312RNL	1800GB	Function Module,Server,HDD,1800 GB,SAS 12Gb/s,10K rpm,128MB,2.5inch(3.5inch Drive Bay)-Dedicated for purchased plug-in RAID controller cards	GA	
02312RNH	1800GB	Function Module,Server,Hard Disk,1800GB,SAS 12Gb/s,10000rpm,2.5inch,128MB,Hot-swap,Built-in,2.5inch Front Panel-Dedicated for purchased plug-in RAID controller cards	GA	
02312RBS	1800GB	Function Module,Servers,Hard Disk,1800GB,SAS 12Gb/s,10000rpm,2.5inch,128MB,Hot-swap,Built-in,2.5inch Front Panel	GA	
02313AWF	1800GB	Function Module,Servers,Hard Disk,1800GB,SAS 12Gb/s,10000rpm,2.5inch,128MB,Hot-swap,Built-in,2.5inch Front Panel,DYHC10	GA	Note19;
02312UQB	1920GB	Function Module,Servers,ES3510S1 T9W2,ES3510S V5,HW SSD,Disk Unit,1920GB SAS 12Gb/s,Read Intensive,2.5inch(2.5inch Drive Bay)	EOM	Note1;Note24;
02312UQC	1920GB	Function Module,Servers,ES3510S1 T9W3,ES3510S V5,HW SSD,Disk Unit,1920GB SAS 12Gb/s,Read Intensive,2.5inch(3.5inch Drive Bay)	EOM	Note1;Note24;
02313ELY	1920GB	Function Module,Servers,SSD,1920 GB,SAS 12Gb/s,Read Intensive,PM1643a Series,2.5inch(2.5inch Drive Bay)	GA	Note1;Note24;Note27;
02313EMA	1920GB	Function Module,Servers,SSD,1920 GB,SAS 12Gb/s,Read Intensive,PM1643a Series,2.5inch(3.5inch Drive Bay)	Pilot	Note1;Note24;Note27;
02312GUF	1920GB	Function Module,Servers,SSD,1920 GB,SATA 6Gb/s,Mixed Use,SM883 Series,2.5inch(2.5inch Drive Bay),IT Server Dedicated	GA	Note2;
02312GTY	1920GB	Function Module,Servers,SSD,1920 GB,SATA 6Gb/s,Mixed Use,SM883 Series,2.5inch(3.5inch Drive Bay),IT Server Dedicated	GA	Note2;
02313FAF	1920GB	Function Module,Servers,SSD,1920 GB,SATA 6Gb/s,Read Intensive, 5300 PRO Series,2.5inch(3.5inch Drive Bay),IT Server Dedicated	GA	Note1;

02313DHT	1920GB	Function Module,Servers,SSD,1920 GB,SATA 6Gb/s,Read Intensive,ER2-CD Series,2.5inch(2.5inch Drive Bay),IT Server Dedicated	Pilot	Note1;
02313DHU	1920GB	Function Module,Servers,SSD,1920 GB,SATA 6Gb/s,Read Intensive,ER2-CD Series,2.5inch(3.5inch Drive Bay),IT Server Dedicated	Pilot	Note1;
02312GNW	1920GB	Function Module,Servers,SSD,1920 GB,SATA 6Gb/s,Read Intensive,PM883 Series,2.5inch(2.5inch Drive Bay),IT Server Dedicated	EOM	Note1;
02312GNX	1920GB	Function Module,Servers,SSD,1920 GB,SATA 6Gb/s,Read Intensive,PM883 Series,2.5inch(3.5inch Drive Bay),IT Server Dedicated	EOM	Note1;
02313FAE	1920GB	Function Module,Servers,SSD,1920 GB,SATA 6Gb/s,Read Intensive,micron 5300 PRO Series,2.5inch(2.5inch Drive Bay),IT Server Dedicated	GA	Note1;
02550210	1920GB	SSD Module,Servers,SSD,1920 GB,SATA 6Gb/s,Mixed Use,5300 MAX Series,2.5inch(2.5inch Drive Bay)	Pilot	Note2;
02550211	1920GB	SSD Module,Servers,SSD,1920 GB,SATA 6Gb/s,Mixed Use,5300 MAX Series,2.5inch(3.5inch Drive Bay)	Pilot	Note2;
02312RCM	2400GB	Function Module,Servers,HDD,240 0GB,SAS 12Gb/s,10K rpm,256MB,2.5inch(2.5inc h Drive Bay)	GA	
02312RNJ	2400GB	Function Module,Servers,HDD,240 0GB,SAS 12Gb/s,10K rpm,256MB,2.5inch(2.5inc h Drive Bay)	GA	
02313BKC	2400GB	Function Module,Servers,HDD,240 0GB,SAS 12Gb/s,10K rpm,256MB,2.5inch(2.5inc h Drive Bay),DYHC10	GA	Note19;
02312RCN	2400GB	Function Module,Servers,HDD,240 0GB,SAS 12Gb/s,10K rpm,256MB,2.5inch(3.5inc h Drive Bay)	GA	
02313BKD	2400GB	Function Module,Servers,HDD,240 0GB,SAS 12Gb/s,10K rpm,256MB,2.5inch(3.5inc h Drive Bay),DYHC10	GA	Note19;
02312RNM	2400GB	Function Module,Servers,HDD,240 0GB,SAS 12Gb/s,10K rpm,256MB,2.5inch(3.5inc h Drive Bay)-Dedicated for purchased plug-in RAID controller cards	GA	
02313AWK	3200GB	Function Module,Servers,ES3610S V5,HW SSD,Disk Unit,3200GB SAS 12Gb/s,Mixed Use,2.5inch(2.5inch Drive Bay)	EOM	Note23;Note24;

02313AWL	3200GB	Function Module,Servers,ES3610S V5,HW SSD,Disk Unit,3200GB SAS 12Gb/s,Mixed Use,2.5inch(3.5inch Drive Bay)	EOM	Note23;Note24;
02312TBH	3200GB	Function Module,Servers,ES3610S3 200GW2,ES3610S V5,HW SSD,Disk Unit,3200GB SAS 12Gb/s,Mixed Use,2.5inch(2.5inch Drive Bay)	EOM	Note2;Note24;
02312TBJ	3200GB	Function Module,Servers,ES3610S3 200GW3,ES3610S V5,HW SSD,Disk Unit,3200GB SAS 12Gb/s,Mixed Use,2.5inch(3.5inch Drive Bay)	EOM	Note2;Note24;
02312REY	3840GB	Function Module,Servers,ES3510S V5,HW SSD,Disk Unit,3840GB SAS 12Gb/s,Read Intensive,2.5inch(2.5inch Drive Bay)	EOM	Note1;Note24;
02312RFA	3840GB	Function Module,Servers,ES3510S V5,HW SSD,Disk Unit,3840GB SAS 12Gb/s,Read Intensive,2.5inch(3.5inch Drive Bay)	EOM	Note1;Note24;
02312WRP	3840GB	Function Module,Servers,HIU2EAS0 38,ES3510S V5,HW SSD,Disk Unit,3840GB SAS 12Gb/s,Read Intensive,2.5inch(2.5inch Drive Bay)	EOM	Note1;Note24;
02312WRS	3840GB	Function Module,Servers,HIU2EAS0 39,ES3510S V5,HW SSD,Disk Unit,3840GB SAS 12Gb/s,Read Intensive,2.5inch(3.5inch Drive Bay)	EOM	Note1;Note24;
02313EMB	3840GB	Function Module,Servers,SSD,3840 GB,SAS 12Gb/s,Read Intensive,PM1643a Series,2.5inch(2.5inch Drive Bay)	GA	Note1;Note24;Note27;
02313EMC	3840GB	Function Module,Servers,SSD,3840 GB,SAS 12Gb/s,Read Intensive,PM1643a Series,2.5inch(3.5inch Drive Bay)	GA	Note1;Note24;Note27;
02312KGH	3840GB	Function Module,Servers,SSD,3840 GB,SATA 6Gb/s,Mixed Use,SM883 Series,2.5inch(2.5inch Drive Bay),IT Server Dedicated	EOM	Note2;
02312KGL	3840GB	Function Module,Servers,SSD,3840 GB,SATA 6Gb/s,Mixed Use,SM883 Series,2.5inch(3.5inch Drive Bay),IT Server Dedicated	EOM	Note2;
02312GNY	3840GB	Function Module,Servers,SSD,3840 GB,SATA 6Gb/s,Read Intensive,PM883 Series,2.5inch(2.5inch Drive Bay),IT Server Dedicated	EOM	Note1;
02312GPA	3840GB	Function Module,Servers,SSD,3840 GB,SATA 6Gb/s,Read Intensive,PM883 Series,2.5inch(3.5inch Drive Bay),IT Server Dedicated	EOM	Note1;

02313FAG	3840GB	Function Module,Servers,SSD,3840 GB,SATA 6Gb/s,Read Intensive,micron 5300 PRO Series,2.5inch(2.5inch Drive Bay),IT Server Dedicated	GA	Note1;
02313FAJ	3840GB	Function Module,Servers,SSD,3840 GB,SATA 6Gb/s,Read Intensive,micron 5300 PRO Series,2.5inch(3.5inch Drive Bay),IT Server Dedicated	GA	Note1;
02550215	3840GB	SSD Module,Servers,SSD,3840 GB,SATA 6Gb/s,Mixed Use,5300 MAX Series,2.5inch(2.5inch Drive Bay)	Develop	Note2;
02550214	3840GB	SSD Module,Servers,SSD,3840 GB,SATA 6Gb/s,Mixed Use,5300 MAX Series,2.5inch(3.5inch Drive Bay)	Develop	Note2;
02311AYV	4000GB	Function Module,Servers,HDD,400 0GB,SATA 6Gb/s,7.2K rpm,128MB cache or above,3.5inch(3.5inch Drive Bay)	GA	
02313AWP	4000GB	Function Module,Servers,HDD,400 0GB,SATA 6Gb/s,7.2K rpm,128MB cache or above,3.5inch(3.5inch Drive Bay),DYHC10	GA	Note19;
02312RNN	4000GB	Function Module,Servers,HDD,400 0GB,SATA 6Gb/s,7.2K rpm,128MB cache or above,3.5inch(3.5inch Drive Bay)-Dedicated for purchased plug-in RAID controller cards	GA	
02312RNP	6000GB	Function Module,Server,Hard Disk,6000GB,SATA 6.0Gb/s,7200rpm,3.5 inch,128MB cache or above,Hot-swap,Built- in,Front Panel-Dedicated for purchased plug-in RAID controller cards	GA	
02311DYQ	6000GB	Function Module,Servers,Hard Disk,6000GB,SATA 6.0Gb/s,7200rpm,3.5 inch,128MB cache or above,Hot-swap,Built- in,Front Panel	GA	
02312RFC	7680GB	Function Module,Servers,ES3510S V5,HW SSD,Disk Unit,7680GB SAS 12Gb/s,Read Intensive,2.5inch(2.5inch Drive Bay)	EOM	Note1;Note24;
02312RFB	7680GB	Function Module,Servers,ES3510S V5,HW SSD,Disk Unit,7680GB SAS 12Gb/s,Read Intensive,2.5inch(3.5inch Drive Bay)	EOM	Note1;Note24;
02313EMD	7680GB	Function Module,Servers,SSD,7680 GB,SAS 12Gb/s,Read Intensive,PM1643a Series,2.5inch(2.5inch Drive Bay)	GA	Note1;Note24;Note27;

02313EME	7680GB	Function Module,Servers,SSD,7680 GB,SAS 12Gb/s,Read Intensive,PM1643a Series,2.5inch(3.5inch Drive Bay)	GA	Note1;Note24;Note27;
02312RNQ	8000GB	Function Module,Server,Hard Disk,8000GB,SATA 6.0Gb/s,7200rpm,3.5 inch,128 MB,Hot- swap,Built-in,Front Panel- Dedicated for purchased plug-in RAID controller cards	GA	Note20;
02313AWQ	8000GB	Function Module,Servers,Hard Disk,8000GB,SATA 6.0Gb/s,7200rpm,3.5 inch,128 MB,Hot- swap,Built-in,Front Panel,DYHC10	GA	Note19;
02311JRE	8000GB	Function Module,server,Hard Disk,8000GB,SATA 6.0Gb/s,7200rpm,3.5 inch,128 MB,Hot- swap,Built-in,Front Panel	GA	
02312RNR	10000GB	Function Module,Server,Hard Disk,10000GB,SATA 6.0Gb/s,7200rpm,3.5 inch,256MB,Hot- swap,Built-in,Front Panel- Dedicated for purchased plug-in RAID controller cards	GA	
02311SXE	10000GB	Function Module,Servers,HDD,10T B,SATA 6Gb/s,7.2K rpm,256MB,3.5inch(3.5inc h Drive Bay)	GA	Note25;
02313AWS	10000GB	Function Module,Servers,HDD,10T B,SATA 6Gb/s,7.2K rpm,256MB,3.5inch(3.5inc h Drive Bay),DYHC10	GA	Note19;
02312DEK	12000GB	Function Module,Servers,HDD,12T B,SATA 6Gb/s,7.2K rpm,256MB,3.5inch(3.5inc h Drive Bay)	GA	
02312HPE	14000GB	Function Module,Servers,HDD,14T B,SATA 6Gb/s,7.2K rpm,3.5inch(3.5inch Drive Bay)	GA	
02312PAN	16000GB	Function Module,Servers,Hard Disk,16000GB,SATA 6.0Gb/s,7200rpm,3.5 inch,256MB,Hot- swap,Built-in,Front Panel	GA	

备注说明:

1. RI类型SSD, 适合于读密集型业务

2. MU类型SSD, 适用于读写混合类型业务

19. 海外专用

20. 仅支持TaiShan 200 5280 24*3.5 EXP 12*3.5机型、TaiShan 200 2280的12盘exp机型和TaiShan 200 2280的25盘exp机型

23. 仅支持9460-8i外购标卡

24. PMC 3152-8i/2100-8i卡不支持SAS SSD硬盘

25. 不推荐使用Toshiba MG06AC SATA 10T 3516卡配置, 4K随机写性能比例偏低。

27. 暂不支持硬盘底层日志收集;

NVMe SSD

编码	编码类型	型号	器件形态	接口类型	描述	厂家名称	驱动下载 链接	生命周期	备注
----	------	----	------	------	----	------	------------	------	----

02312TKW	Official	ES3510P V5-2000GB	2.5inch Disk	SFF-8639	Function Module,Servers,ES3510P 2000GW2,ES3510P V5 SSD,2000GB ,NVMe PCIe,Read-intensive,2.5 inch(2.5inch Drive Bay),Supply continuity	Huawei	link	EOM	Note4;
02312REW	Official	ES3610P V5-6400GB	2.5inch Disk	SFF-8639	Function Module,Servers,ES3610P V5,ES3610P V5 SSD,6400GB ,NVMe PCIe,Mixed Use,2.5inch(2.5inch Drive Bay),Supply continuity	Huawei	link	EOM	Note5;
02312WFJ	Official	ES3500P V6-3840GB	2.5inch Disk	SFF-8639	Function Module,Servers,HIU2EBP 007,ES3500 P V6 SSD,3840GB ,NVMe PCIe,Read Intensive,2.5 inch(2.5inch Drive Bay)	Huawei	link	GA	Note4;
02312LKL	Official	PM983-3840GB	2.5inch Disk	SFF-8639	Function Module,Servers,SSD,3840GB,NVMe PCIe,Read Intensive,PM983 series,2.5inch(2.5inch Drive Bay),IT Server Dedicated	SAMSUNG	无###	EOM	Note4;
02312QMP	Official	ES3510P V5-7680GB	2.5inch Disk	SFF-8639	Function Module,Servers,ES3510P, ES3510P V5 SSD,7680GB ,NVMe PCIe,Read-intensive,2.5 inch(2.5inch Drive Bay),Supply continuity	Huawei	link	EOM	Note4;
02312TKY	Official	ES3610P V5-1600GB	2.5inch Disk	SFF-8639	Function Module,Servers,ES3610P 1600GW2,ES3610P V5 SSD,1600GB ,NVMe PCIe,Mixed Use,2.5inch(2.5inch Drive Bay),Supply continuity	Huawei	link	EOM	Note5;
02312WFS	Official	ES3600P V6-3200GB	2.5inch Disk	SFF-8639	Function Module,Servers,HIU2EBP 013,ES3600 P V6 SSD,3200GB ,NVMe PCIe,Mixed Use,2.5inch(2.5inch Drive Bay)	Huawei	link	GA	Note5;

02312TKU	Official	ES3500P V5-7680GB	2.5inch Disk	SFF-8639	Function Module, Servers, ES3500P 7T6W2, ES3500P V5 SSD, 7680GB, NVMe PCIe, Read Intensive, 2.5 inch(2.5inch Drive Bay), Supply continuity	Huawei	link	EOM	Note4;
02312QMN	Official	ES3510P V5-4000GB	2.5inch Disk	SFF-8639	Function Module, Servers, ES3510P V5 SSD, 4000GB, NVMe PCIe, Read-intensive, 2.5 inch(2.5inch Drive Bay), Supply continuity	Huawei	link	EOM	Note4;
02312PJY	Official	ES3610P V5-3200GB	2.5inch Disk	SFF-8639	Function Module, Servers, ES3610P V5 SSD, 3200GB, NVMe PCIe, Mixed Use, 2.5inch(2.5inch Drive Bay)	Huawei	link	GA	Note5;
02312LKK	Official	PM983- 1920GB	2.5inch Disk	SFF-8639	Function Module, Servers, SSD, 1920GB, NVMe PCIe, PM983 LE Series, 2.5inch(2.5inch Drive Bay), IT Server Dedicated	SAMSUNG	无###	EOM	Note4;
02312PJX	Official	ES3510P V5-8000GB	2.5inch Disk	SFF-8639	Function Module, Servers, ES3510P V5 SSD, 8000GB, NVMe PCIe, Read Intensive, 2.5 inch(2.5inch Drive Bay)	Huawei	link	EOM	Note4;
02312WFB	Official	ES3500P V6-1920GB	2.5inch Disk	SFF-8639	Function Module, Servers, HIU2EBP 005, ES3500P V6 SSD, 1920GB, NVMe PCIe, Read Intensive, 2.5 inch(2.5inch Drive Bay)	Huawei	link	GA	Note4;
02312FQW	Official	ES3600P V5-3200GB	2.5inch Disk	SFF-8639	Function Module, Servers, ES3600P V5 SSD, 3200GB, NVMe PCIe, Mixed Use, 2.5inch(2.5inch Drive Bay)	Huawei	link	EOM	Note5;
02312LKH	Official	PM983- 960GB	2.5inch Disk	SFF-8639	Function Module, Servers, SSD, 960GB, NVMe PCIe, Read Intensive, PM983 series, 2.5inch(2.5inch Drive Bay), IT Server Dedicated	SAMSUNG	无###	EOM	Note4;

02312WFQ	Official	ES3600P V6-1600GB	2.5inch Disk	SFF-8639	Function Module,Servers,HIU2EBP011,ES3600P V6 SSD,1600GB,NVMe PCIe,Mixed Use,2.5inch(2.5inch Drive Bay)	Huawei	link	Pilot	Note5;
02312PBN	Official	PM1725B-3200GB	2.5inch Disk	SFF-8639	Function Module,Servers,SSD,3200GB,NVMe PCIe,PM1725b Series,2.5inch(2.5inch Drive Bay),IT Server Dedicated	SAMSUNG	无###	EOM	Note5;
02312TBT	Official	PM1725B-1600GB	2.5inch Disk	SFF-8639	Function Module,Servers,PM1725B1600G2,SSD,1600GB,NVMe PCIe,Mixed Use,PM1725b series,2.5inch(2.5inch Drive Bay),IT Server Dedicated	SAMSUNG	无###	GA	Note5;
备注说明: 4. RI类型SSD, 适合于读密集型业务 5. MU类型SSD, 适用于读写混合类型业务									

Mezzanine Cards											
编码	编码类型	型号	描述	芯片	接口类型	厂家名称	认证链接	驱动下载链接	IO资源	生命周期	备注
03025VYP	Official	TM280	Manufactured Board,TaiShan 2280 V2,BC82N ICA,TM280 Onboard NIC,25GE/10GE Optical Interface, Four-Port,SFP28(without Optical Transceiver),Board ID 0X67,2*2		SFP28	Huawei		link		GA	
03025VYQ	Official	TM210	Manufactured Board,TaiShan 2280 V2,BC82N ICB,TaiShan 2280 V2 4*GE Interface Card,Board ID 0X68		RJ45 copper	Huawei		link		GA	

Other Components									
编码	类别	形态	描述	状态	接口	容量	颗粒类型	生命周期	备注

02313ARJ	M.2 SSD		Function Module,Public Module,M.2 SSD,SATA 6Gb/s-480GB,80.0mm * 22.0mm * 3.58mm(Non-hot-swappable)		SATA	480GB	TLC	Pilot	Note18;Note21;Note22;
02313ARE	M.2 SSD		Function Module,Public Module,M.2 SSD,SATA 6Gb/s-240GB,80.0mm * 22.0mm * 3.58mm(Non-hot-swappable)		SATA	240GB	TLC	GA	Note18;Note21;Note22;

备注说明:
18. 只能作为OS启动设备使用
21. 只支持1/4/7槽位
22. 配合02312RXH转接卡使用, 不支持带外管理。

PCIe Cards										
编码	编码类型	卡类型	型号	描述	接口类型	光模块信息	认证链接	驱动下载链接	生命周期	备注
06310183	Official	NIC	MCX4121A-ACUT	Network Card,25 Gigabit,64 bit,SFP28,2 ports,PCIe 3.0 X8-15b3-1015-2,No Driver CD	SFP28			link	GA	
02312VVV	Official	NIC	SP382	Function Module,Public Module,BC5M04ETHK,SP382 Ethernet Adapter,25 GE(Mellanox CX-5),Dual-Port,SFP28 (without Optical Transceiver),Half-height Half-length,Full Handle bars,PCIe 3.0 x8(with NCSI wire)	SFP28			link	GA	
06310184	Official	NIC	MCX515A-CCUT	Network Card,100 Gigabit,64 bit,QSFP28 (without Optical Transceiver),1 ports,PCIe 3.0 x16-15b3-1017-1,No Driver CD	QSFP28			link	GA	

06310151	Official	NIC	MCX416A-BCAT	Network Card,40 Gigabit,64 bit,QSFP28 port,PCIE 3.0 X16-15b3-1013-2,No Driver CD	QSFP			link	EOM	
02312BWG	Official	NIC	SP570	Function Module,SP 570,BC5M 01ETHB,Ethernet Adapter,25 GE/10GE(Hi1822),4-Port,SFP28 (without Optical Module),Half-height Half-length,Full Handle bars,PCIE 3.0 x16	SFP28			link	GA	Note164;Note178;
02312THP	Official	NIC	SP572	Function Module,SP 572,BC5M 01DPHA,Ethernet Adapter,10 GE/40GE(Hi1822),2-Port,QSFP28 (without Optical Module),Half-height Half-length(included Half Handle bars and Full Handle bars),PCIE 3.0 x16	QSFP28			link	GA	
06310156	Official	NIC	MCX512A-ACAT	Network Card,25 Gigabit,64 bit,SFP28 (without Optical Transceiver),2 Ports,PCIE 3.0 x8-15b3-1017-2,No Driver CD,with 1pcs short bracket	SFP28			link	GA	
06310175	Official	NIC	MCX512A-ACAT_C06	Network Card,25GE(MCX512A-ACAT_C06),64bit,SFP28,2 ports,PCIE 3.0 x8-15b3-1017-2,No Driver CD	SFP28			link	GA	Note226;
06310149	Official	NIC	MCX515A-CCAT	Network Card,100 Gigabit,64 bit,QSFP28 (without Optical Transceiver),1 ports,PCIE 3.0 x16-15b3-1017-1,No Driver CD	QSFP28			link	GA	Note1;

02312VVU	Official	NIC	SP382	Function Module,Public Module,BC5M03ETHK,SP382 Ethernet Adapter,25GE(Mellanox CX5),Dual-Port,SFP28 (without Optical Transceiver),Half-height Half-length,Full Handle bars,PCIE 3.0 x8	SFP28			link	GA	
02311UPK	Official	NIC	MCX4121A-ACAT	Function Module,Tai Shan 2280,CN2M02ITGJ,Ethernet Adapter,25Gb Optical Interface(Mellanox CX4-lx EN),2-Port,SFP28 (without Optical Transceiver),PCIe 3.0 x8	SFP28			link	GA	
06310158	Official	NIC	MCX516A-CCAT	Network Card,100 Gigabit,64 bit,QSFP28 (without Optical Transceiver),2 Ports,PCIE 3.0 x16-15b3-1017-2,No Driver CD	QSFP28			link	GA	
02312QRP	Official	NIC	SP580	Function Module,Tai Shan 2280 V2,BC8M02ETHA,Ethernet Adapter,10GE(Hi1822),4-Port,SFP (without Optical Module),Half-height Half-length,Full Handle bars,PCIE 3.0 x8,Use X16 Slot-10GE Only	SFP			link	GA	Note164;Note178;
06310186	Official	NIC	MCX516A-CCAT_C06	Network Card,100G(MCX516A-CCAT_C06),64bit,QSFP28,2 ports,PCIE 3.0 x16-15b3-1017-2,No Driver CD	QSFP28			link	Develop	Note226;

02312LDK	Official	NIC	SP380	Function Module,SP 380,BC5M 03ETHE,Ethernet Adapter,25GE(Mellanox CX-4 Lx),Dual-Port,SFP28 (without Optical Transceiver),Half-height Half-length,Full Handle bars,PCIe 3.0 x8	SFP28			link	GA	
02312VRN	Official	NIC	SP582	Function Module,SP 582,BC5M 02ETHL,Ethernet Adapter,25GE/10GE(Hi1822),2-Port,SFP28 (without Optical Module),Half-height Half-length,Full Handle bars,PCIe 3.0 x8	SFP28			link	GA	
02312CCY	Official	FC	SP520(dual-port)	Function Module,SP 520,BC5M 02FCAA,FC HBA Adapter,16G(Hi1822), Dual Port,SFP (With Dual Optical Module),Half-height Half-length,Full Handle bars,PCIe 3.0 x8	SFP		link	link	GA	Note161;Note222;
02312SED	Official	FC	SP523(dual-port)	Function Module,SP 523,BC5M 02ETHLB,FC HBA Adapter,8G(Hi1822), Dual Port,SFP (With Dual Optical Modules), Half-height Half-length(included Half Handle bars and Full Handle bars),PCIe 3.0 x8	SFP			link	GA	Note222;

02312HJY	Official	FC	SP522(single-port)	Function Module,SP 522,BC5M 02FCAC,FC HBA Adapter,8 G(Hi1822), Dual Port,SFP (With Single Optical Module),Half-height Half-length,Full Handle bars,PCIe 3.0 x8	SFP		link	link	GA	Note161;Note222;
02312SEF	Official	FC	SP525(dual-port)	Function Module,SP 525,BC5M 02ETHLC,FC HBA Adapter,16 G(Hi1822), Dual Port,SFP (With Dual Optical Module),Half-height Half-length(included Half Handle bars and Full Handle bars),PCIe 3.0 x8	SFP			link	GA	Note222;
06030391	Official	FC	LPe32000	Other Cards,HBA Card LPe32000-AP,FC Single Port-32Gb/s,PCI E 3.0 x8-Vendor ID 10DF-Device ID E300-1,English doc,1pcs short bracket,half width half length-Prohibition of separate shipment	SFP				GA	Note222;
	Temporary	FC	LPe31000	Other Cards,HBA Card LPe31000-AP,FC single Ports-16Gb/s,PCI E 3.0 x8-Vendor ID 10DF-Device ID E300-1,English doc,1pcs short bracket,half width half length	SFP			link	GA	Note233;

02312HKA	Official	FC	SP522(dual-port)	Function Module,SP 522,BC5M 05FCAC,FC HBA Adapter,8 G(Hi1822), Dual Port,SFP (With Dual Optical Modules), Half-height Half-length,Full Handle bars,PCIe 3.0 x8	SFP		link	link	GA	Note161;Note222;
02312SEE	Official	FC	SP525(single-port)	Function Module,SP 525,BC5M 01ETHLC,FC HBA Adapter,16 G(Hi1822), Dual Port,SFP (With Single Optical Module),Half-height Half-length(included Half Handle bars and Full Handle bars),PCIe 3.0 x8	SFP			link	GA	Note222;
02312SDU	Official	FC	SP523(single-port)	Function Module,SP 523,BC5M 01ETHLB,FC HBA Adapter,8 G(Hi1822), Dual Port,SFP (With Single Optical Module),Half-height Half-length(included Half Handle bars and Full Handle bars),PCIe 3.0 x8	SFP			link	GA	Note222;
	Temporary	FC	LPe31002	Other Cards,HBA Card LPe31002-AP,FC Double Ports-16Gb/s,PCI E 3.0 x8-Vendor ID 10DF-Device ID E300-2,English doc,1pcs short bracket,half width half length	SFP			link	GA	Note233;

06030393	Official	FC	LPe32002	Other Cards,HBA Card LPe32002-AP,FC Double Ports-32Gb/s,PCI E 3.0 x8- Vendor ID 10DF- Device ID E300-2,English doc,1pcs short bracket,half width half length- Prohibition of separate shipment	SFP				GA	Note222;Note233;
02312BFF	Official	IB	SP350	Function Module,SP350,BC5M01IBMA,Infiniband card-EDR(100Gb/s)(Mellanox ConnectX-5 VPI)- Single port-QSFP28(without Optical module)- Half-height Half-length-Full Handle bars-PCI E 3.0 x16	QSFP28			link	GA	
06030437	Official	IB	MCX65310 5A-EFAT	IB Card,Infiniband MCX65310 5A-EFAT,HDR100/EDR IB single port-100Gb/s(Socket Direct 2* x8 in a row),PCI E 4.0 x16-15b3-101b-1 2,English doc,original full handle bars with half handle bars	QSFP56			link	GA	
02312BHX	Official	IB	SP351	Function Module,SP351,BC5M01IBMB,Infiniband card-EDR(100Gb/s)(Mellanox ConnectX-5 VPI)- Dual port-QSFP28(without Optical module)- Half-height Half-length-Full Handle bars-PCI E 3.0 x16	QSFP28			link	GA	

02313LXB	Official	GPU	Atlas 300T (Model 9000)	Function Module,Atlas 300,IT21PDXB111,Ascend 910 A,A300T-9000,PCI-E4.0 x16(FHFL)-32G HBM-300W-Dual slot-Passive cooling,2280 V2	PCIE4.0 X16			link	Develop	Note3;Note117;Note240;
02312LGA	Official	GPU	Atlas 300	Function Module,Atlas 300I,IT21DMPA13,Atlas 300I Inference Card PCI-E x16 (HHHL) with one Full-height faceplate,DDR 4*8GB,67W,Single Slot,PassiveCooling, Vendor ID 19E5-Device ID D100	PCIE3.0 x16			link	GA	Note240;
02312QEX	Official	GPU	Atlas 300I (Model 3000)	Function Module,Atlas 300I,IT21DMPB07,Atlas 300I Inference Card,4*8G Memory,supplying continuity	4*PCIE3.0 X2			link	GA	Note194;
02570029	Official	GPU	Tesla T4	PCIe-GPU Card,Servers,BC8M01N0T4G16,NVIDIA,Tesla T4 Computational Accelerator,16GB,PCIe 3.0 x16	PCIE3.0 x16			link	Pilot	Note1;Note20;Note221;Note225;
02313LXC	Official	GPU	Atlas 300T (Model 9000)	Function Module,Atlas 300T,IT21PDXB110,Ascend 910 B,A300T-9000,PCI-E4.0 x16(FHFL)-32G HBM-300W-Dual slot-Passive cooling,2280V2	PCIE4.0 X16			link	Develop	Note3;Note117;Note240;
02570030	Official	GPU	Tesla V100 16G	PCIe-GPU Card,Servers,BC8M01NOV100G16,NVIDIA,Tesla V100 Computational Accelerator,16GB,PCIe 3.0 x16,FHFL	PCIE3.0 x16			link	EOM	Note1;Note3;Note20;Note117;Note223;Note225;

02312TAH	Official	SSD	ES3610C V5-3200GB	Function Module,Se rver,ES361 0C3200GF H,ES3610C -3200GB-3 DWPD- PCIE 3.0 X4-Vendor ID 19e5- Device ID 3714- 1,Model number HWES6P43 3T2M005N ,HH/HL Card Full- height packing code,NVM e SSD	PCIE3.0 X4			link	EOM	Note76;
02312TAD	Official	SSD	ES3610C V5-800GB	Function Module,Se rver,ES361 0C800GFH, ES3610C- 800GB-3 DWPD- PCIE 3.0 X4-Vendor ID 19e5- Device ID 3714- 1,Model number HWES6P43 800M005N ,HH/HL Card Full- height packing code,NVM e SSD	PCIE3.0 X4				EOM	Note76;
02312TAF	Official	SSD	ES3610C V5-1600GB	Function Module,Se rver,ES361 0C1600GF H,ES3610C -1600GB-3 DWPD- PCIE 3.0 X4-Vendor ID 19e5- Device ID 3714- 1,Model number HWES6P43 1T6M005N ,HH/HL Card Full- height packing code,NVM e SSD	PCIE3.0 X4			link	EOM	Note76;
02312TAK	Official	SSD	ES3610C V5-6400GB	Function Module,Se rver,ES361 0C6400GF H,ES3610C -6400GB-3 DWPD- PCIE 3.0 X4-Vendor ID 19e5- Device ID 3714- 1,Model number HWES6P43 6T4M005N ,HH/HL Card Full- height packing code,NVM e SSD	PCIE3.0 X4				EOM	Note76;

02311WTS	Official	NIC	SP333	Function Module, Servers, CN2 M02ITGF, Ethernet Adapter, 10Gb Optical Interface(Mellanox MT27712A0), 2-Port, SFP (with 2x Multi-mode Optical Transceiver), PCIe 3.0 x8, SP333	SFP	自帶光模块 (10GE 多模)	link	link	GA	Note181; Note208;
06310169	Official	NIC	MCX512A-ACUT	Network Card, 25 Gigabit, 64 bit, SFP28 (without Optical Transceiver), 2 Ports, PCIe 3.0 x8-15b3-1017-2, No Driver CD- A baffle plate is delivered with the incoming material	SFP28	02311KNR(25G 多模), 02311MPE(25G AOC线缆 3M), 02311MPD(25G AOC线缆 5M), 02311KNT(25G AOC线缆 10M), 34061254(25G 多模), 34061637-003(25G AOC线缆 20M), 34062045-002 (25G AOC线缆 10M), 02318169 (10G 多模)	link		GA	
02312SCJ	Official	NIC	SP381	Function Module, Tai Shan 2280 V2, BC5M01ETHC, SP381 Ethernet Adapter, 25GE/10GE(Mellanox ConnectX-5 MCX542B-ACAN), Dual-Port, SFP28 (without Optical Transceiver), Half-height Half-length, Full Handle bars, PCIe 3.0 X8 (with NCSI wire 0.2m)	SFP28	02318169(10G 多模), 34060494-005(10G 多模), 02318170 (10G 单模), 34060742-004 (10G 单模), 02311KNR(25G 多模), 34061254(25G 多模), 02311MPE(25G AOC线缆 3M), 34061316(25G AOC线缆 3M), 02311MPD(25G AOC线缆 5M), 34061316-001(25G AOC线缆 5M), 02311KNT(25G AOC线缆 10M), 34061316-003(25G AOC线缆 10M),	link		GA	Note182;

02312NGD	Official	NIC	SP580	Function Module,Tai Shan 2280 V2,BC8M0 1ETHA,Ethernet Adapter,25GE/10GE(H i1822),4-Port,SFP (without Optical Module),Half-height Half-length,Full Handle bars,PCIe 3.0 x16	SFP28	02318169(10G 多模), 34060494-005(10G 多模), 02318170 (10G 单模), 34060742-004 (10G 单模), 02311KNR(25G 多模), 34061254(25G 多模), 02311MPE(25G AOC线缆3M), 34061316(25G AOC线缆3M), 02311MPD (25G AOC线缆5M), 34061316-001(25G AOC线缆5M), 02311KNT(25G AOC线缆10M), 34061316-003(25G AOC线缆10M),	link	GA	Note164;Note178;
----------	----------	-----	-------	--	-------	---	------	----	------------------

备注说明:
1. 请访问第三方官网下载驱动, 操作系统兼容性信息请以第三方发布为准。
3. 可以支持两张卡
20. 建议禁用linux自带显卡驱动"nouveau"
76. MU类型SSD: 5年内, SSD的DWPD为1.3-3.6; 适用于读写混合类型业务
117. 仅适用于8盘2.5寸机型, 最高工作温度30°C
161. SANBOOT支持情况与使用方法, 详情参考用户指南
164. 不支持RoCE
178. 请从驱动链接中下载相应驱动并安装
181. 不支持NCSI
182. 仅Port1支持NCSI功能
194. Riser 1&2需要使用02312QJV编码riser卡, Riser 3需要使用02312QJW编码riser卡。
208. 不支持slot8
221. 最大支持8张卡, 配置3张卡及以下链路带宽支持x16
222. The card complies with FC or FCoE standard specifications. To check the compatibility with third-party equipment, please confirm the compatibility requirements or POC verification with the third-party equipment manufacturer.
223. 每个GPU需要一根04151201-002 (GPU专用线缆)
225. 仅支持Kunpeng920 2.6GHz CPU, 不支持3.0GHz CPU。具体配置参考配置器。
226. 定制化网卡
233. 此卡有OS应用限制, 具体使用建议请联系对应PAE
240. 不支持南非发货

OCP Cards	
无符合条件的数据	

Power								
编码	名称	输入特性	输出特性	能效等级	海拔	是否支持高压直流	生命周期	备注
02312YKR	2000W白金电源	220-240V AC/10A;240V DC/10A;200-220V AC/10A;100-127V AC/10A;	12V/167A;2000W; 12V/167A;2000W; 12V/150A;1800W; 12V/75A;900W;	Platinum	50%:5000m	180V-300V	Pilot	目前只支持国内发货。
02312HG Y	功能模块-PAC2000S12-BG-PAC2000S12-BG-服务器白金2000W-交流电源	220-240V AC/10A;;240V DC/10A;;200~220V AC/10A;	12V/167A;2000W;2000W; 12V/167A;2000W;2000W; 12V/150A;1800W;1800W;	Platinum	50%:5000m	180V-300V	GA	不支持台湾, 印度、墨西哥、英国。

02312QXD	印度专用编码 2000W消A电 源	220-240V AC/10A;240V DC/10A ; ;20 0- 220V ; AC/10 A;	12V/167A ; 2 000W;2000W; 12V/167A ; 2 000W;2000W; 12V/150A ; 1 800W;1800W;	Platinum	50%:5000m	180-300V	GA	仅支持印度发 货。
02312PEU	900W白金电 源	100-240V AC/10- 5.5A;240V DC/5A;	12V/75A;900 W; 12V/75A;900 W;	Platinum	50%:5000m	180-300V	GA	不支持台湾 ，印度、韩国 、乌克兰、墨 西哥、英国。
02312XWK	900W白金电 源	100-240V AC/10- 5.5A;240V DC/5A;	12V/75A;900 W; 12V/75A;900 W;	Platinum	50%:5000m	180-300V	Pilot	不支持台湾地 区、印度、韩 国、乌克兰、 墨西哥、英国 。
02311TLF	900W白金电 源	100-240V AC/11~5.5A;2 40V DC/5A;	12V/75A;900 W; 12V/75A;900 w;	Platinum	50%:5000m	180-300V	GA	不支持台湾 ，印度、墨西 哥、英国。
02312GEN	1200W - 48V直流电源	-48V - -60V DC/32A;	12V/100A;12 00W;	Gold	50%:5000m	不支持高压直 流。	GA	不支持台湾地 区、印度、韩 国、乌克兰、 墨西哥、英国 。
02312KCV	1200瓦负48伏 直流电源	-48 - -60V DC/32A;	12V/100A;12 00W;	Gold	50%:5000m	不支持高压直 流。	GA	只支持印度发 货。
02312QWS	功能模块-二次 电源- PDC1200S12- CF1-服务器 1200W直流电 源48V	-48 - -60VDC;	12.3V; 97.6A;1200W;	Gold	50%:5000	不支持高压直 流。	GA	不支持台湾 乌克兰、墨 西哥、印度、 韩国、俄罗斯 、英国。
02313HCD	功能模块- Server Product- PDC1200S12- CF1-服务器直 流电源- 68mm- 1200W-风冷 (含直流电源线)	-48 - 60VDC;	12.3V;97.6A;1 200W;	Gold	50%:5000m	不支持高压直 流。	GA	02312QWS 电 源线打包编码 。
02312HDF	1500W HVDC电源	260 - 400V DC/8A;	12V/125A;15 00W;	Platinum	50%:5000m	260-400V	EOM	不支持台湾地 区、印度、韩 国、乌克兰、 墨西哥、英国 。
02312DEQ	一次电源- PHD1500S12- B2-服务器白金 1500W高压直 流电源	260~400V/D C;200~240V/ AC;	12V/125A;15 00W;12V/125 A;1500W;	Platinum	50%:5000m	260-400V	GA	不支持台湾 乌克兰、墨 西哥、印度、 韩国、英国。

RAID Controller Cards									
编码	名称	芯片型号	板卡类型	描述	认证链接	驱动下载 链接	厂家名称	生命周期	备注
02312WSF	9440-8i	9440-8i	标卡	Function Module,944 0-8i 0G,CN2M94 408IOG1,944 0-8i 0G Other Cards,12G SAS RAID Card,no cache- 8*12Gb/s SAS PHY-2 miniSAS HD internal interface,PCI E 3.1 X8- Vendor ID 1000-Device ID 0017-1- Subvendor ID 1000- Subdevice ID 9440,Taisha n 200		Link	Avago	GA	Note105;No te106;Note1 15;Note118; Note129;No te130;

02312UNL	9460-16i	9460-16i	标卡	Function Module,9460-16i 4G,CN2M946016i4G,9460-16i 4G Other Cards,12G SAS RAID Card,4G cache-16*12Gb/s SAS PHY-4 miniSAS HD internal interface,PCI E 3.1 X8-Vendor ID 1000-Device ID 0014-1-Subvendor ID 1000-Subdevice ID 9460,Taishan	Link	Avago	Pilot	Note43;Note124;Note135;
02312UKU	9460-8i	9460-8i	标卡	Function Module,9460-8i 2G,CN2M94608i2G,9460-8i 2G Other Cards,12G SAS RAID Card,2G cache-8*12Gb/s SAS PHY-2 miniSAS HD internal interface,PCI E 3.1 X8-Vendor ID 1000-Device ID 0016-1-Subvendor ID 1000-Subdevice ID 9461,Taishan	Link	Avago	GA	Note43;Note115;Note119;Note130;
03033FAT	SR150-M	Avago 3408iMR	扣卡	Finished Board,SR150-M,BC11RLC A01,(Avago 3408) SAS/SATA RAID Card-RAID0,1,10-12Gb/s-no Cache,Support Sideband Management,Board ID 0x0a,custom raid	Link	Avago	GA	Note106;
02313CYR	SR760-M	Avago 3416iMR	扣卡	Function Module,Taishan 200 (Model 2280),BC11RLCAA02,(Avago3416) SAS/SATA RAID Card-RAID0,1,10-12Gb/s-no Cache,Support Sideband Management	Link	Avago	GA	Note106;Note124;Note125;

03033FAV	SR450C-M	Avago 3508	扣卡	Finished Board,SR450C-M 4G,BC11RLC BA01,SR450C-M 4G SAS/SATA RAID Card MR,RAID0,1,5,6,10,50,60,4GB Cache(Avago3508),Support SuperCap and Sideband Management,Board ID 0X27,customraid	Link	Avago	GA	Note43;
03033EFT	SR450C-M	Avago 3508	扣卡	Finished Board,SR450C-M 2G,BC11RLC B01,SR450C-M 2G SAS/SATA RAID Card MR,RAID0,1,5,6,10,50,60,2GB Cache(Avago3508),Support SuperCap and Sideband Management,Board ID 0X2a,customraid	Link	Avago	GA	Note43;
02313CYV	Avago3516	Avago 3516	标卡	Function Module,SP460C-M 4G,CN2M02 RLCAD,SP460C-M 4G SAS/SATA/NVMe RAID Card,PCIe card,RAID0,1,5,6,10,50,60,4GB Cache(Avago3516),Support SuperCap and Sideband Management,FH/HL,PCIe 3.0 X8-Vendor ID 1000-Device ID 0014	Link	Avago	GA	Note120;Note124;
02312USW	PMC 3152	PM8204	标卡	Function Module,12G SAS RAID Card,BC1M023152,TaiShan-SmartRAID 3152-8i RAID Card-PCIe 3.0 X8-2GB cache-RAID 0,1,5,6,10,50,60,1/10ADM-customraid	Link	PMC	GA	Note105;Note109;Note113;Note115;Note130;Note136;

02312USU	PMC 2100	PM8222	标卡	Function Module,12G SAS RAID Card,BC1M0 22100,TaiShan-SmartHBA 2100-8i RAID Card-PCIE 3.0 X8-no cache-RAID 0,1,5,10-customraid	Link	PMC	GA	Note105;Note113;Note115;Note129;Note130;Note136;
----------	----------	--------	----	--	------	-----	----	--

备注说明:
43. 若需要电容备电保护, 请添加编码02311WDP.
105. 支持AL15SE/Vela-AP/Vela-A/He10/PM883/SM883系列硬盘
106. 非版本为EulerOS Server V200R008C00SPC300B630的欧拉OS不支持虚拟化场景, 不支持BIOS启动SMMU
109. 此RAID卡默认自带超级电容, 无需选配
113. 此RAID卡不支持带外管理
115. 默认安装在SLOT3位置, 可选范围SLOT1-3
118. FW版本支持5.120.01-2904及其以上版本,FW版本为5.120.01-2904时仅支持openEuler系统。
119. FW版本支持5.120.00-2995及其以上版本, FW版本为5.120.00-2995时仅支持openEuler系统。
120. 不支持slot7槽位
124. 只支持12盘直通机型
125. 只支持以下硬盘编码:
02311JRE、02312GNR、02312GNS、02312GNU、02312GTS、02312GNT、02312GNW、02312GNX
129. 不支持RAID5
130. 支持的机型以服务器的配置器为准。
135. 只能在IO模组1上使用。
136. 3152-8i/2100-8i卡不支持SAS SSD硬盘

Security Cards
无符合条件的数据